

PACIFIC COMOX RESOURCES LTD

Press Release

- **HOLE 66B INTERVAL OF 68 FEET GRADING 0.13% OR 2.7 LBS/TON MOLYBDENUM INCLUDING 19 FEET OF 0.38% OR 7.5 LBS/TON**

Toronto, Canada – June 6, 2007

Pacific Comox Resources Ltd. (TSX Venture: PCM) reports the assays for an additional 5 diamond drill holes testing the area of the former producing underground copper mine (the South Zone) at its Ryan Lake copper/molybdenum property at Matachewan, Ontario. The first significant mineralized interval of 68 feet in hole 66B graded 0.13% (2.7 lbs/ton) molybdenum, 0.2% copper, plus gold and silver starting at 122 feet includes 19 feet grading 0.38% (7.5 lbs/ton) molybdenum, 0.3% copper, plus gold and silver. The second significant interval of 26 feet graded 0.07% (1.5 lbs/ton) molybdenum, 0.2% copper, plus gold and silver started at 277 feet. The assay results for the 5 holes are summarized in Table 1.

In the current program additional holes will be drilled both north and south of the completed holes on many of the sections to extend the 700 foot North-South dimension of the drill tested areas and the 638 feet East-West length of the current drill tested area will be extended both to the East and West. Most of the 33 completed holes do not exceed a vertical depth of 300 feet. The current program will also test the indicated mineralized zones to a depth of about 500 feet. The mill which is currently processing barite is expected to be a major asset going forward to facilitate the resumption of copper/molybdenum production on the property.

Robert Hill P. Eng. serves as the qualified person (QP) for the sampling and exploration program under the definitions of National Instrument 43-101, reviewed this release and supervised the drilling program. The geologists on this program were Dan Crossley P. Eng. and Robert Van Ingen P. Eng.. The split NQ core samples were assayed by AA at Swastika Laboratories Ltd. Swastika Ontario, an accredited laboratory.

Donald Empey
President

The TSX Venture Exchange has not reviewed and does not accept responsibility for the adequacy or accuracy of this release.

For further information: please contact Donald Empey at tel: 416 977 4653, fax: 416 977 8335, email dempsey@pacificcomox.com, view the Company web site at www.pacificcomox.com or the Company filings on SEDAR at www.sedar.com.

One Dundas Street West, Suite 2300, Box 13,
Toronto, Ontario Canada M5G 1Z3

PACIFIC COMOX RESOURCES LTD.						
Table 1: Diamond Drill Assays From Ryan Lake Project						
South Zone – Former Underground Mine Area						
Hole #	From	To	Length	Copper	Mo	Mo
	(ft)	(ft)	(ft)	(%)	(%)	(lbs/ton)
PC-07-62	Section 10376E, Northing 10063, Length 410 ft., Azimuth 350°, Dip -45°					
	15	410	395	0.12	0.008	0.16
Including	87	107	20	0.26	0.045	0.90
Including	197	221	24	0.29	0.017	0.34
Including	282	292	10	0.57	0.036	0.72
PC-07-63	Section 10387E, Northing 10161, Length 370 ft., Azimuth 0°, Dip -45°					
	71	138	67	0.18	0.042	0.84
PC-07-64	Section 10326E, Northing 10113, Length 341 ft., Azimuth 0°, Dip -51°					
	16	341	325	0.17	0.012	0.24
Including	38	67	29	0.07	0.054	1.08
Including	130	193	63	0.43	0.022	0.44
PC-07-65	Section 10276E, Northing 10389, Length 489 ft., Azimuth 113°, Dip -45°					
	105	143	38	0.35	0.021	0.42
	256	281	25	0.36	0.023	0.46
	370	448	78	0.07	0.041	0.82
PC-07-66B	Section 10376E, Northing 10000, Length 538 ft., Azimuth 0°, Dip -50°					
	122	190	68	0.17	0.133	2.66
Including	161	180	19	0.26	0.375	7.50
	277	303	26	0.19	0.073	1.46
	392	474	82	0.23	0.005	0.10
Including	411	439	28	0.35	0.003	0.06
Gold and silver assays results not material						
'June 5, 2007						