

# PACIFIC COMOX RESOURCES LTD

Press Release

## **0.47% (9.4 lbs/ton) MOLYBDENUM & 1.3% COPPER OVER 5 METERS STARTING AT 13 METERS IN HOLE 106 AT RYAN LAKE**

Toronto, Canada – April 10, 2008

Pacific Comox Resources Ltd. (TSX Venture: PCM) reports the assays for an additional 3 diamond drill holes testing the area of the former producing underground copper mine (the South Zone) and the former producing open pit molybdenum mine (the North Zone) at its Ryan Lake copper/molybdenum property at Matachewan, Ontario. Assays will be reported when received for the additional holes which have been completed. The assay results for the 3 holes reported are summarized in Table 1.

### **NORTH ZONE**

Hole 106 in the North Zone reported a mineralized interval of 79 meters grading 0.058% (1.2 lbs/ton) molybdenum & 0.17% copper starting at 1 meter from surface and extending to the end of the hole. This 79 meter interval included an interval of 5 meters from 13 meters of 0.47% (9.4 lbs/ton molybdenum) and 1.3% copper.

Hole 104 reported 41 meters from 13 meters grading 0.145% (2.9 lb/ton) molybdenum.

Holes 104 & 106 are two of 6 holes drilled in the North Zone to test the continuation of higher grade mineralization previously reported in holes 15, 16, 26 & 27 drilled to the northwest and previously reported. The mineralized intervals previously reported for holes 15, 16, 26 & 27 are also given in Table 1. Hole 15 reported an 8 meter near surface interval of 0.56% (11.2 lbs/ton) molybdenum and hole 16 reported a 9 meter interval of 0.58% (11.6 lbs/ton) molybdenum. Of the 24 holes reported before the drilling of the fence of 6 holes in the North Zone, 12 holes intersected a total of 15 intervals with an average grade of 0.16% (3.3 lbs/ton) molybdenum over an average length of 11 meters starting from 16 meters.

### **SOUTH ZONE**

Hole C99B was collared to the southeast of the shaft in the South Zone and drilled to the north to test this shallow section. Hole C99B reported 36 meters of mineralization starting at 3 meters grading 0.22% copper and minor molybdenum, gold and silver.

The 2007 program on the South Zone extended both the North-South and East-West dimensions of the drill tested area to approximately 250 meters or 820 feet. The resource estimate for the South Zone is pending the inclusion of the reported holes.

Robert Hill P. Eng. serves as the qualified person (QP) for the sampling and exploration program under the definitions of National Instrument 43-101, reviewed this release and supervised the drilling program. The split NQ core samples were assayed at Swastika Laboratories Ltd. Swastika Ontario, an accredited laboratory.

The Company reports it is granting to Directors, officers and consultants options to purchase 8,500,000 shares at an exercise price of \$0.10 per share, for a period of five years subject to acceptance by the TSX Venture Exchange. The Company currently has 4,200,000 options outstanding with an average exercise price of \$0.11, with 2,300,000 expiring on May 27, 2008.

Donald Empey  
President

The TSX Venture Exchange has not reviewed and does not accept responsibility for the adequacy or accuracy of this release.

For further information: please contact Donald Empey at tel: 416 977 4653, fax: 416 977 8335, email [dempey@pacificcomox.com](mailto:dempey@pacificcomox.com), view the Company web site at [www.pacificcomox.com](http://www.pacificcomox.com) or the Company filings on SEDAR at [www.sedar.com](http://www.sedar.com).

One Dundas Street West, Suite 2300, Box 13,  
Toronto, Ontario Canada M5G 1Z3

PACIFIC COMOX RESOURCES LTD								
Table 1: Drill Assays Reported From Ryan Lake Property								
South Zone – Former Underground Mine Area								
North Zone – Former Open Pit Molybdenum Mine Area								
Hole #	From	To	Length	Copper	Mo	Mo	Gold	Silver
	(m)	(m)	(m)	(%)	(%)	(lbs/ton)	(g/tonne)	(g/tonne)
<b>PC-07-C99B</b>	5313159N, 522719E, Length 39 meters, Azimuth 350°, Dip -45°							
	3	39	36	0.22	0.006	0.012	0.08	2.48
Including	9	17	8	0.44	0.008	0.016	0.13	5.76
<b>PC-07-104</b>	5313669N, 522519E, Length 80 meters, Azimuth 320°, Dip -80°							
	1	80	79	0.04	0.080	1.60	0.01	0.61
Including	13	54	41	0.05	0.145	2.90	0.01	0.92
<b>PC-07-106</b>	5313682N, 522525E, Length 80 meters, Azimuth 320°, Dip -80°							
	1	80	79	0.17	0.058	1.16	0.02	0.78
Including	13	18	5	1.30	0.470	9.40	0.15	7.14
FOLLOWING HOLES PREVIOUSLY REPORTED								
<b>PC-07-105</b>	5313675N, 522523E, Length 80 meters, Azimuth 320°, Dip -80°							
	2	8	6	0.05	0.043	0.86	0.01	0.38
	48	70	22	0.03	0.026	0.52	0.01	0.27
<b>PC-07-103</b>	5313666N, 522516E, Length 79 meters, Azimuth 320°, Dip -80°							
	1	80	79	0.03	0.092	1.84	0.01	0.52
	30	44	14	0.07	0.304	6.08	0.01	1.55
<b>PC-07-98</b>	5313352N, 522653E, Length 227 meters, Azimuth 180°, Dip -46°							
	13	208	195	0.13	0.013	0.26	0.02	1.01
	51	84	33	0.22	0.019	0.38	0.01	1.82
<b>PC-07-C92C</b>	5313195N, 522654E, Length 41 meters, Azimuth 0°, Dip -51°							
	6	12	6	0.21	0.012	0.24	0.06	1.88
<b>PC-07-100</b>	522586E, 5313310N, Length 122 meters, Azimuth 0°, Dip -45°							
	57	87	30	0.14	0.022	0.44	0.02	1.00
Including	72	87	15	0.22	0.032	0.64	0.01	1.40
<b>PC-07-102</b>	522521E, 5313672N, Length 72 meters, Azimuth 320°, Dip -80°							
	1	72	71	0.18	0.169	3.38	0.02	1.21
Including	30	49	19	0.52	0.268	5.36	0.03	2.84
Including	38	41	3	2.80	0.224	4.48	0.11	8.80
<b>PC-07- C91B</b>	522697E, 5313196N, Length 23 meters, Azimuth 0°, Dip -50°							
	4	18	14	0.19	0.040	0.80	0.08	2.00

Hole #	From (m)	To (m)	Length (m)	Copper (%)	Mo (%)	Mo (lbs/ton)	Gold (g/tonne)	Silver (g/tonne)
<b>PC-07-101</b>	522525E, 5313676N, Length 80 meters, Azimuth 320°, Dip -80°							
	1	16	15	0.22	0.494	9.88	0.03	3.98
<b>PC-06-15</b>	522531E, 5313695N, Length 89 meters, Azimuth 220°, Dip -50°							
	2	50	48	0.06	0.154	3.08	0.01	1.11
Including	9	17	8	0.18	0.560	11.20	0.02	4.37
<b>PC-06-16</b>	522527E, 5313689N, Length 89 meters, Azimuth 40°, Dip -50°							
	2	21	20	0.33	0.329	6.57	0.04	5.02
Including	9	18	9	0.52	0.581	11.62	0.03	9.85
	54	62	8	0.06	0.043	0.85	0.01	0.35
<b>PC-06-26</b>	522519E, 5313679N, Length 94 meters, Azimuth 220°, Dip -50°							
	2	31	29	0.03	0.044	0.88	0.01	0.34
Including	2	8	6	0.05	0.109	2.18	0.01	0.75
<b>PC-06-27</b>	522517E, 5313676N, Length 81 meters, Azimuth 40°, Dip -50°							
	2	50	48	0.04	0.072	1.44	0.01	0.43
Including	2	15	13	0.06	0.101	2.02	0.01	0.74
Including	28	40	12	0.04	0.136	2.72	0.01	0.55
	53	76	23	0.01	0.017	0.34	0.01	0.18
Assays for hole 101 reported on Feb 11, 2008. Assays for holes 15 & 16 reported on March 22, 2006								
Assays for holes 26 & 27 reported October 16, 2006. Assays for holes 100, 102 & C91B reported Feb 21, 2008.								
Assays for holes 98, 103, 105, C92C reported March 31, 2008.								
True width of mineralized intervals not known at this time.								